

Inventor: Ms. Eve Gambla
Title: IMPROVED TOILET OVERSPRAY SHIELD FOR MALES
Ser. No.: 10/792,235
Filing Date: 03/03/2004
Examiner: Mr. Robert M. Fetsuga
Group Art Unit No.: 3751

LIST OF AMENDMENTS TO THE CLAIMS

Please make the following changes to the claims of the above patent

application:

Claim 3: (Withdrawn)

Claim 5: (Amended) The toilet over spray shield of Claim 1 having an exterior portion to the upstanding wall and the domed top wherein handle means is provided along the exterior portion of the semi-elliptical walls and the domed top for easy insertion and removal of the device.

Claim 9: (Amended) The toilet over spray shield of ~~Claim 7~~ Claim 8 wherein the amusing image is imparted on at least one sticker with an adhesive back which has been secured to the upstanding wall.

CLAIM LISTING

What is claimed is:

1. (Original) A male toilet over spray shield having an upstanding wall which is substantially semi-elliptical in configuration which is adapted to removable sit within a conventional toilet bowl, wherein the upstanding wall is substantially from six inches to twenty four inches in height, and the over-spray shield further having a t least one protruding flange attachment means for attaching the shield to toilet seat rim after raising toilet seat and it further is provided with a domed top to prevent urine splash back out the top of the device.
2. (Original) The toilet over spray shield of Claim 1 wherein the flange attachment means are substantially annular surrounding at least a portion of the upstanding wall of the device and further extending substantially outward and perpendicular to the upstanding wall of the device.
3. (Withdrawn)
4. (Original) The toilet over spray shield of Claim 1 having an exterior portion to the upstanding wall of the device and further the attachment means are integral thereto.
5. (Amended) The toilet over spray shield of Claim 1 having an exterior portion to the upstanding wall and the domed top wherein handle means is provided along the exterior portion of the semi-elliptical walls and the domed top for easy insertion and removal of the device.
6. (Original) The toilet over spray shield of Claim 4 wherein the handle means comprises

at least two apertures in the upstanding wall which are adapted to fit human fingers therethrough.

7. (Original) The toilet over spray shield of Claim 1 wherein the upstanding wall extends at least one inch below the flange attachment means.
8. (Original) The toilet over spray shield of Claim 1 wherein the device further has an interior wall portion in the upstanding wall and the interior wall portion is further provided with an amusing image for urine channeling.
9. (Amended) The toilet over spray shield of ~~Claim 7~~ Claim 8 wherein the amusing image is imprinted on at least one sticker with an adhesive backing which has been secured to the upstanding wall.